

Models:

ET5000x - Windows XPE, RDP, ICA, full suite of terminal emulations, IE, Media Player, JVM, PCMCIA expansion

ET5000x Features and Benefits:

- **Industry-standard Microsoft XP Embedded operating system, including the latest Windows technologies**
- **Microsoft RDP and Citrix ICA protocol to access Windows applications**
- **Multiple terminal emulations to access mainframe, midrange, UNIX, and other legacy applications**
- **Internet Explorer browser to access Web-based applications, with Windows Media Player for multimedia and Microsoft Java Virtual Machine (JVM)**
- **PCMCIA for expansion and upgrades, including 802.11a/b/g wireless Ethernet**
- **Small footprint and internal power supply to reduce clutter and ease installation and use**
- **Higher-performance CPU and multiple simultaneous session support to increase speed and productivity**
- **No fan or other moving parts for quiet operation and high reliability, backed by an industry-leading three-year next-day advanced replacement warranty**
- **Centralized management with bundled CLI SNMP Administrator software, including remote shadowing and asset tracking**

800/727-5250

www.computerlab.com

580 South Melrose Street, Placentia, CA 92870, USA
Tel: (714) 572-8000 Fax: (714) 572-8008

ET5000x

Windows XPE Thin Client



The ET5000x thin client, with its high quality, versatility, and flexibility, is an expandable high-performance terminal that gives users the ability to access Windows, Internet, multimedia, and legacy applications, at a lower total cost of ownership than PCs or other computing products.

The ET5000x client software, powered by Microsoft Windows XP Embedded, has built-in support of Microsoft RDP and Citrix ICA protocol, multiple terminal emulations (such as IBM 5250, 3270 and 3151, DEC VT-420, among others), Internet Explorer, and Windows Media Player. Users can access applications running on Microsoft Windows Server 2003 and Citrix MetaFrame, as well as mainframe, midrange, UNIX and other legacy applications, multimedia and the Web. This provides broad application compatibility and system integration, improving user productivity. And since it uses Microsoft Windows XP Embedded, the ET5000x client software supports the full Win32 API, as well as Windows XP Professional device drivers and development tools, and many third-party device drivers. This facilitates rapid creation, integration and porting of local applications into the ET5000x.

PCMCIA expansion slot, higher-performance CPU, serial and parallel printer ports, 10/100 BaseT Fast Ethernet, USB and PS/2 ports, audio and an internal power supply are all standard ET5000x hardware contained in a small footprint metal enclosure. This simplifies network and peripheral connection and unit deployment, reducing installation time to just minutes.

And like all CLI thin clients, the ET5000x works seamlessly with CLI's SNMP Administrator software. This powerful tool gives administrators complete centralized control of all CLI desktops, dramatically reducing support costs.

Computer Lab
International 

ET5000x Technical Specifications

Local Operating System

- Microsoft Windows XP Embedded

Software Features

- Microsoft RDP 5, including local printer, audio and local drive support
- Citrix ICA 7 protocol, including Nfuse, full Program Neighborhood, Secure ICA, local printer, Speedscreen3 and audio support
- Terminal Emulation Suite
 - IBM TN5250e, TN3270e, 3151
 - DEC VT-100, VT-220, VT-320, VT-420
 - ANSI BBS, SCO Console
- Internet Explorer Web Browser 6, including:
 - Visual refresh
 - Flash and Shockwave playback
 - Privacy enhancements and P3P support
 - Image Toolbar, automatic resizing and Media Bar
 - Adobe PDF file viewer
 - Microsoft JVM
 - Windows Media Player 6
- Outlook Express
- Other features available via download

Exclusive CLI Enhancements

- Enhanced Printing Capability
 - LPD / LPR
- Asset Management
 - Unique serial number embedded in all devices to allow asset tracking
- Image Copy
 - Create a standard configuration on one device and copy it to one or thousands without user intervention
- XPE Shadow
 - Remotely "view" any device for faster configuration and help desk support

Remote Configuration Services

- DHCP
- SNMP
- FTP
- SNMP Administrator software for remote management

Server Operating System Compatibility / Support

- Microsoft Windows Server 2003, Windows 2000 Server
- Microsoft Windows NT 4.0, Terminal Server Edition
- Citrix MetaFrame, MetaFrame XP, MetaFrame for UNIX and WinFrame
- UNIX
- IBM Midrange and Mainframe

Base Hardware

- 533 MHz CPU
- Integrated Trident blade 3D graphics
- 256MB Flash memory, expandable to 512MB
- 256MB DRAM, expandable to 512MB

Network

- Auto-sense 10/100BaseT twisted-pair Ethernet
- RJ-45 connector
- Wake-On-LAN

I/O Ports

- One serial DB-9 RS-232C up to 115.2K baud
- One parallel DB-25 Centronics / PC compatible
- One PS/2 mini-DIN keyboard
- One PS/2 mini-DIN mouse
- Two Type A USB

Expansion

- PCMCIA type II slot
- Supports optional PCMCIA adapters for wireless Ethernet, modems, and many others

Video

- Resolution up to 1600 x 1200
- 256 Colors / high color / true color
- Up to 85 Hz refresh rate, flicker free

Audio

- Full 16 bit stereo FM synthesis
- Stereo line-out, line-in
- 8 Bit mini microphone line-in

Physical Specifications (Metal Enclosure)

- Dimensions: 2 in (W) x 11.25 in (D) x 9.5 in (H)
- Weight: 3.3 lb

Environment

- Operating temperature: 5°C to 40°C (41°F to 104°F)
- Storage temperature: -40°C to 60°C (-41°F to 140°F)
- Relative humidity: 20% to 80% non-condensing
- Power requirements: 100-240 VAC, 50/60 Hz
- Convection cooling, no fan

Regulatory Compliance

- FCC Class A
- CE Mark
- UL
- TÜV-GS

Languages

- English (US and UK)
- Italian
- French
- Canadian French
- Chinese
- Austrian / German
- Scandinavian
- Spanish
- Japanese / Kana
- Korean

Warranty

- Three-year next-day advanced replacement (logic box)



CLI continually improves products as new technologies become available, and therefore reserves the right to change specifications without prior notice. Be sure to check with CLI for the latest specifications. Copyright 2004 CLI, Inc. All rights reserved. Computer Lab International™ is a trademark of CLI, Inc. Microsoft, Windows, and the Windows logo are registered trademarks of Microsoft Corporation in the United States and/or other countries. All other trademarks used are the properties of their respective owners. 032404